

Q1 How do you rate the quality of evidence for safety of platelet rich plasma (PRP) into joints/tissues for non-wound conditions?




Q2 Is there evidence to demonstrate long term safety?




	1	2	3	4	5	TOTAL	WEIGHTED AVERAGE	
(no label)	0.00%	0.00%	12.50%	12.50%	75.00%	Q		4 62
	U	U	1	1	O	0		4.63

Q3 Is there evidence of safety of repeat injections into same joint?




	1	2	3	4	5	TOTAL	WEIGHTED AVERAGE	
(no label)	0.00%	0.00%	37.50%	50.00%	12.50%			
	0	0	3	4	1	8		3.75


Q4 Is there evidence of safety as compared to current standard of care treatments (steroids/anesthetics)?



Q5 How do you rate the quality of evidence for efficacy of platelet rich plasma into joints/tissues for non-wound conditions?




Q6 Is there evidence to demonstrate short term vs. long term benefit?




1	2	3	4	5	TOTAL	WEIGHTED AVERAGE	
(no label) 0	.00% 0.00%	50.00%	50.00%	0.00%	Q		3.50

Q7 Is there evidence that repeat injections into same joint improve efficacy?

Answered: 8 Skipped: 0




Q8 Is there evidence of effectiveness as compared to current standard of care treatments (steroids/anesthetics/others)?





Q9 Is there evidence based standardized protocols that provide standard practice for these injections? This would address issues such as patient selection, preparation protocol, concentration of platelets injected, frozen vs. fresh, combining PRP with other agents, contraindications, numbers of injections and duration between injections, pre-procedure preparation (like avoiding NSAIDS before injections), use of local anesthetics at time of injections, post-procedure exercise plans, and image guidance at time of injections? If yes, what protocols? Please provide citations.




Q10 Please rate the evidence for both safety and efficacy for the following conditions using scale of 1-5.









Voting Questions

0% 10% 20% 30% 40% 50% 60% 70% 80% 90% 100%



	1	2	3	4	5	TOTAL	WEIGHTED AVERAGE
Osteoarthritis of the knee - Safety	0.00%	0.00%	0.00%	0.00%	100.00% 5	5	5.00
Osteoarthritis of the knee - Efficacy	0.00%	0.00%	0.00%	60.00%	40.00% 2	5	4.40
Plantar fasciitis - Safety	0.00%	0.00%	0.00%	0.00%	100.00% 5	5	5.00
Plantar fasciitis - Efficacy	0.00%	20.00%	20.00%	60.00%	0.00%	5	3.40
Anchilles tendopathy – Safety	0.00%	0.00%	0.00%	20.00%	80.00% 4	5	4.80
Anchilles tendopathy - Efficacy	0.00%	60.00%	40.00% 2	0.00%	0.00%	5	2.40
Patellar tendopathy - Safety	0.00%	0.00%	20.00%	20.00%	60.00%	5	4.40
Patellar tendopathy - Efficacy	20.00%	40.00%	0.00%	20.00%	20.00%	5	2.80
Lateral epicondylitis - Safety	0.00%	0.00%	0.00%	0.00%	100.00% 5	5	5.00
Lateral epicondylitis - Efficacy	0.00%	0.00%	40.00% 2	40.00% 2	20.00%	5	3.80
Carpal tunnel syndrome - Safety	0.00%	0.00%	0.00%	40.00%	60.00%	5	4.60
Carpal tunnel syndrome - Efficacy	0.00%	40.00%	60.00%	0.00%	0.00%	5	2.60
Rotator cuff tears – Safety	0.00%	0.00%	20.00%	0.00%	80.00% 4	5	4.60
Rotator cuff tears - Efficacy	0.00%	40.00%	40.00%	0.00%	20.00%	5	3.00
Chronic low back pain - Safety	0.00%	0.00%	0.00%	40.00%	60.00%	5	4.60
Chronic low back pain - Efficacy	20.00%	40.00%	20.00%	20.00%	0.00%	5	2,40

Q11 Contact

Answered: 8 Skipped: 0

ANSWER CHOICES	RESPONSES	
Name	100.00%	8
Company	0.00%	0
Address	0.00%	0
Address 2	0.00%	0
City/Town	0.00%	0
State/Province	0.00%	0
ZIP/Postal Code	0.00%	0
Country	0.00%	0
Email Address	100.00%	8
Phone Number	0.00%	0